




Presto Sensor Soap Dispensers

PRESTO Wall Mounted Sensor Soap Dispenser

P52042

A wall-mounted infra-red sensor-operated, soap dispenser combined with 1 litre soap container.

Finish is polished chrome-plated brass.




PRESTO Basin Mounted Sensor Soap Dispenser

P52043

A basin-mounted infra-red sensor-operated, soap dispenser combined with 1 litre soap container.

Finish is polished chrome-plated brass.



Technical Data

SOAP TYPE:


- Liquid soap, detergent, lotion or antibacterial gel. Viscosity: 100 – 3800 cPs. pH: Neutral. Foam soap is not suitable.

Presto Sensor Soap Dispensers

PRESTO 904 Wall Mounted Push Button Soap Dispenser

P37100


Finish is polished chrome-plated brass with 3/8" BSPM inlet. Soap container is sold separately. See below.



PRESTO 905 Basin Mounted Push Button Soap Dispenser

P37601


Finish is polished chrome-plated brass with 1/2" BSPM inlet. Soap container is sold separately. See below.



PRESTO 914 Wall Mounted Lever Soap Dispenser

P37910


Finish is polished chrome-plated brass with 3/8" BSPM inlet. Soap container is sold separately. See below.



PRESTO 915 Basin Mounted Lever Soap Dispenser

P37906

Finish is polished chrome-plated brass with 1/2" BSPM inlet. Soap container is sold separately. See below.



Technical Data

SOAP CONTAINER:

- ▶ P37921 Presto 905/915 1 litre soap container with non return valve

SOAP TYPE:

- ▶ Liquid soap (viscosity range:1000-3800cPs) (pH Neutral); Pure Coprah liquid soap diluted to 4.5 % or equivalent, such as soaps using olive and palm oils with a high percentage of coconut oil is recommended. Do not use soapy detergents. Soap tank sold separately.


DISPENSER SYSTEM:

- ▶ Compatible with centralised liquid soap dispenser systems. For a centralised tank system, the tank must be located at the highest point of the installation and the soap is dispensed by gravity. For a pressurised circuit system, an electric pump unit with the tank supplies the liquid soap.

Presto Sensor Soap Dispensers


PRESTO Wall Mounted Polished SS Soap Dispenser

P60632 Push-button operated with viewing window of 800ml soap container and secure locking.
Finish is polished stainless steel.




PRESTO Wall Mounted Brushed SS Soap Dispenser

P70632 Push-button operated with viewing window of 1200ml soap container and secure locking.
Finish is brushed stainless steel.




PRESTO Wall Mounted Battery Sensor Soap Dispenser

P70630 Battery sensor operated with viewing window of 950ml soap container. 1.5V battery not included.
Finish is ABS plastic cover.



PRESTO Basin Mounted Hotel Style Soap Dispenser

P70633 Push operated soap dispenser with 1 litre container.
Finish is polished chrome-plated brass.



Technical Data

SOAP TYPE:

- ▶ Liquid soap (viscosity range:2000–5000cPs) (pH Neutral): Pure Coprah liquid soap diluted to 4.5 % or equivalent, such as soaps using olive and palm oils and a high percentage of coconut oil is recommended. Do not use soapy detergents.