




# PRESTO SENSOR SOAP DISPENSERS

## PRESTO Wall Mounted Sensor Soap Dispenser

**P52042**

A wall-mounted infra-red sensor-operated, soap dispenser combined with 1 litre soap container.

Finish is polished chrome-plated brass




## PRESTO Basin Mounted Sensor Soap Dispenser

**P52043**

A basin-mounted infra-red sensor-operated, soap dispenser combined with 1 litre soap container.

Finish is polished chrome-plated brass



## Technical Data

### SOAP TYPE:


- ▶ Liquid soap, detergent, lotion or antibacterial gel. Viscosity: 100 – 3800 cPs. pH: Neutral. Foam soap is not suitable.

# PRESTO SOAP DISPENSERS

## PRESTO 904 Wall Mounted Push Button Soap Dispenser

**P37100**


Finish is polished chrome-plated brass with 3/8" BSPM inlet. Soap container is sold separately. See below.



## PRESTO 905 Basin Mounted Push Button Soap Dispenser

**P37601**


Finish is polished chrome-plated brass with 1/2" BSPM inlet. Soap container is sold separately. See below.



## PRESTO 914 Wall Mounted Lever Soap Dispenser

**P37910**


Finish is polished chrome-plated brass with 3/8" BSPM inlet. Soap container is sold separately. See below.



## PRESTO 915 Basin Mounted Lever Soap Dispenser

**P37906**

Finish is polished chrome-plated brass with 1/2" BSPM inlet. Soap container is sold separately. See below.



## Technical Data

### SOAP CONTAINER:

- ▶ P37921 Presto 905/915 1 litre soap container with non return valve

### SOAP TYPE:

- ▶ Liquid soap (viscosity range:1000-3800cPs) (pH Neutral): Pure Coprah liquid soap diluted to 4.5 % or equivalent, such as soaps using olive and palm oils with a high percentage of coconut oil is recommended. Do not use soapy detergents. Soap tank sold separately.

### DISPENSER SYSTEM:


- ▶ Compatible with centralised liquid soap dispenser systems. For a centralised tank system, the tank must be located at the highest point of the installation and the soap is dispensed by gravity. For a pressurised circuit system, an electric pump unit with the tank supplies the liquid soap.

# PRESTO STANDARD SOAP DISPENSERS

## PRESTO Wall Mounted Polished SS Soap Dispenser

**P60632** Push-button operated with viewing window of 800ml soap container and secure locking.


Finish is polished stainless steel



## PRESTO Wall Mounted Brushed SS Soap Dispenser

**P70632** Push-button operated with viewing window of 1200ml soap container and secure locking.


Finish is brushed stainless steel



## PRESTO Wall Mounted Battery Sensor Soap Dispenser

**P70630** Battery sensor operated with viewing window of 950ml soap container. 1.5V battery not included.



Finish is ABS plastic cover



## PRESTO Basin Mounted Hotel Style Soap Dispenser

**P70633** Push operated soap dispenser with 1 litre container.

Finish is polished chrome-plated brass



## Technical Data

### SOAP TYPE:

- Liquid soap (viscosity range:2000–5000cPs) (pH Neutral): Pure Coprah liquid soap diluted to 4.5 % or equivalent, such as soaps using olive and palm oils and a high percentage of coconut oil is recommended. Do not use soapy detergents.