

Commercial washroom solutions







Vandal Resistant



Low Maintenance



Founded 1933



Revit. **ARCHICAD** & CAD files



AS 1428.1 -2009









Thermostatic mixing valves

Grab Rails

Emergency Eye Wash & Showers










Create your own Fixtures Schedule on the fly






- Click on My Fixtures Schedule
- Add Schedule Name (optional)
- Ownload product list pdf
- Onn't want it in pdf format?

 Ask us about other formats.






















AS 1428.1 – 2009 Products

for Accessible and Ambulant Bathrooms






















Products on this page are compliant when installed in accordance with AS 1428.1 - 2009.









Showerhead hygiene is critical

- Healthcare guidelines recommend regular showerhead cleaning
- Need to prevent unhygienic biofilm build-up
- Effective cleaning regimes require substantial investment
- Poor showerhead design can make Legionella more likely



Rada Rail Showers

- Much more hygienic
- Easy to clean
- More cost effective

- Specially designed to help reduce the prevalence of Legionella
- Environmentally better than throwaway showerheads

















Unique spray plate design

Single mode spray plate with no moving parts

Hygienic silicon nozzle mat to control limescale & bacteria

Key removes spray plate for periodic cleaning & disinfection

Design minimises bacteria breeding from trapped water

Handset air-tested to avoid water introduction

Coloured ring system to track cleaning











Rada SF1 620 grab rail showers

AS 1428-compliant

占

For accessible bathrooms and health & aged care

Optional Aqua, Moda, Care and Rada Sense mixers

AQUA

MODA

CARE

SENSE











Hygienic flange seals reduce bacterial growth

Wall outlet elbow with dual check valve

Simple, onehanded height slider adjustment

Smooth hose with easy-clean surface



Choice of vertical grab rail and T bars (left, middle, right)

Satin or polished finish

Option of grab rail separate to hand held shower (AusHFG)











A great showering experience with all the hygienic benefits of Rada for:

- ✓ University accommodation
- ✓ End-of-trip facilities







THORNTHWAITE IS THE EXCLUSIVE DISTRIBUTOR OF THE RADA RANGE OF PRODUCTS









There are nicer ways to shower — but this one saves lives!

- Education (Schools, Universities & TAFE)
- ✓ Laboratories and Healthcare
- Petroleum, Oil Refineries and Mining
- Chemical Manufacturing & Handling
- Food Processing





















B-SAFETY emergency eyewash, eye/face wash and showers







COMBINATION

EVERY SECOND COUNTS. REDUCE RISK WITH B-SAFETY EMERGENCY EYEWASH, EYE/FACE WASH AND SHOWERS









B-SAFETY emergency eyewash, eye/face wash and showers

- High-performance showerhead spreads water evenly
- Certified to
 AS 4775-2007 and
 ANSI/ISEA Z358.1-2014
- German-manufactured from high-quality, durable stainless steel
- ClassicLine green finish or PremiumLine stainless steel finish



THORNTHWAITE IS THE EXCLUSIVE DISTRIBUTOR OF THE B-SAFETY RANGE OF PRODUCTS















How much water can a traditional tap waste?

(Based on 1 tap left running 12 days in a year)

Running Tap (5 L/min) 86,400 litres



Trickling Tap (1.5 L/min) 25,920 litres



Dripping Tap (0.34 L/min) 5,875 litres



Presto taps save water, by shutting off automatically

5 Benefits of Presto tapware

- Water Savings
- Comfort & Hygiene
- Vandal Resistance
- Reliability
- Easy Maintenance











Timed flow taps



Ideal for councils, schools, pre-schools, shopping centres and pools, etc.




Push button & lever operation



Automatic shut off after 7.5 sec (± 2.5)





















Presto 2000 & Volta Sensor Taps



Ideal for offices, shopping centres, health & aged care and accessible bathrooms, etc.



Set temperature (single) or mixer versions, mains or battery powered for Presto Volta



Very hygienic solution















Presto Timed Flow Valves



Hands-free operation of taps for kitchens, food processing and abattoirs for improved hygiene



Durable products designed for harsh environments



Push button valves for showers



Presto shower valve & tap adaptor



Presto 512 valve (Ideal for beach & pool showers)




Presto 712 (Ideal for food processing)



Presto 520 foot valve (Ideal for food processing)



Presto 530 dual foot valve (Ideal for food processing)






















Rada Pulse & Mono Control





Centralised washroom sensor control system



For basins, showers & urinals



Programmable flow times



Ideal for aquatic centres, gyms, schools, offices, etc.



























Rada Pulse v Mono Control

Difference between Pulse & Mono

Rada Pulse (up to 10 outlets)



Control Box Programmer

Each sensor is supplied separately in a kit with a solenoid valve

Rada Mono (single outlet)



Mono kit includes sensor and solenoid valve

Sensors



Wall Mounted



Basins & Showers

LR Sensor Ligature resistant Pulse only **Urinal flushing**



Ceiling Mounted



124 Sensor Basin only











Save \$25,000* per annum with Rada Pulse

Annual Savings & Payback



Water Savings: 2,592,000 Litres



Dollar Savings: \$25,468



Payback: 1.5 months

*Changes


Shower time reduced from 5.5 mins to 3 mins with Rada Pulse. Flow rate reduce from 9 L/min to 8.5 L/min with the Rada VR105 showerhead.

*Parameters

10 showers, used 30 times a day, 360 days a year. Water and dollar savings are subject to the operating conditions; type of water heating systems used; and water and energy provider.

Annual Running Cost Comparison

Traditional showers vs. Rada Pulse



















Rada Vandal Resistant Showerheads



Ideal for councils, schools, gyms, beaches etc.



Provides quality shower with great water savings



Mount at least 2m high



Rada VR2 (8.5 L/min)



Rada VR105 (8.5 L/min)

Rada VR106 (5.5 L/min)



Rada LR Head (8.5 L/min ligature resistant for showers and basins)



























Digital thermostatic mixing valve



For basins and showers



Often used in health care and end of trip facilities



Health care facilities approved as a TMV





No touch on/off control & temperature adjustment via sensor





Functions — duty flush, thermal disinfection



Programmed by a PDA

























Rada 215 TMV



All Rada 215 TMV variants have the same temperature and flow specifications



Incorporates the Radatherm sealed-for-life cartridge



Cold isolation feed & PRV variants available



Flow rate range 2.5 L/min to 50 L/min









Rada 215dk



Rada 215dk for exposed installation



Rada 215dk






Rada 215bk

in SS 200mm box with lid

Flow Rate/Pressure Loss Graph



























Incorporates the Radatherm sealed-for-life cartridge



Flow rate range 8 L/min to 120 L/min



Ideal for sports and aquatic centres where you have many showers in a close proximity



Health care facilities approved



Rada 320 M 3/4" BSPM inlets & outlet




Rada 320 IF

1" BSPF inlets & outlet



Flow Rate 60 Litres/Min.

Flow Rate/Pressure Loss Graph



Pressure Loss - kPa (bar)











Please contact us for

- Revit &
 ARCHICAD Files
- Site Visits
- Technical
 Support

Thank you.

Ask for a prepared Specification Proposal

STEP 1

Provide us with details of your project

STEP 2

We will provide you with a
Specification Proposal which includes:
Quantities, prices, images, lines
drawings, specs, web link, etc.

